# New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Mercer County Residents

1.	Current HIV/AIDS Category	Adult/Adolescent * Cases %		Pediati Cases	ric *		Tota Cases	al %
	AIDS-Any OI AIDS-CD4 Only HIV Only	137 14 361 36 514 51		7 0 10	 41 0 59		144 361 524	 14 35 51
	Total	1012 100		17	100		1029	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/A	%	Pediatrio	c* Tota Cases	al % 
	<pre>&lt;5  # # 5-12  # # 13-19  11  1 20-29  56  5 30-39  317  31 40-49  393  38 50+  235  23 Unk.  0  0</pre>	White, Not Hisp Black, Not Hisp Hispanic Other/Unknown  Total	anic	191 705 106	19 70 10 1	# # 13 76 # # 0 0 17 100	193 718 108 10	19 70 10 1
	Total 1029 100							
4.	Patient Group	Males	8	I	Female	s %	Modes ** Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	188 190 30 69 148	30 30 5 11 24		0 130 0 136 113	0 34 0 36 30	32 20 26	38 19 20 32 30 3 05 20 51 26
	Total	625	100	-	379		100	
		Males	Pec		Fransm Female	ission Mo	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***	 9 #	82 #	-	 11 #	79		20 80 5 20
	Total	#	#	-	#			 25 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of December 2002.
- \*\* 8 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Mercer County Residents

Adult/Adolescent\*

			Addit / Addi	COCCIIC		ı ca.	Latit			10	Lai
. Disease Cate	egory		es (%)	Deaths (%)		(%)		ıs (%)	Cases (		Deaths (%)
No Disease I	Listed		294 ( 24) 332 ( 27) 15 ( 1) 600 ( 48)	244 ( 83) 251 ( 76) 12 ( 80)	# 20 # 0	( 87) # ( 0)	# 10 0	# ( 50) ( .)	297 ( 352 ( 15 ( 600 (	23) 28) 1) 47)	247 ( 83) 261 ( 74) 12 ( 80) 239 ( 40)
Total			241 (100)	746 ( 60)		(100)		( 57)	1264 (1		759 ( 60)
. Age *	Cases	%	3. Race	Eth.	Adult/A Cases	%	Pediatr Cases	%	Total Cases	%	
Under 5	#	#	White	e, Not Hispanic				#	299	24	
5-12	#	#	Black	, Not Hispanic	819	66	20	87	839	66	
13-19	7	1	Hispa	nic	#	#	#	#	117	9	
20-29	153	12	Other	/Unknown	#	#	#	#	9	1	
30-39	510	40									
40-49	405	32	Total	=	1241	100	23	100	1264	100	
Over 49	166	13									
Unknown	#	#									
Total	1264	100									

Pediatric\*

Total

Patient Group	Adult/Adolescent Transmission Modes **										
	Males	8	Females	%	Total	%					
Men sex with men (MSM)	280	31	0	0	280	23					
Injection drug user (IDU)	355	40	162	47	517	42					
MSM/IDU	57	6	0	0	57	5					
Heterosexual contact	72	8	99	29	171	14					
Risk not reported/other***	133	15	83	24	216	17					
Total	897	100	344	100	1241	100					
		Pedi	atric Transmi	ssion Mo	des						
	Males	%	Females	%	Total	%					
Parent at risk/has AIDS/HIV	12	100	11	100	23	100					
Risk not reported/other***	0	0	0	0	0	0					
Total	12	100	11	100	23	100					

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

<sup>\*</sup> Classification at time of AIDS diagnosis.

<sup>\*\* 0</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Mercer County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	13	13	100%
1985	15	15	100%
1986	15	15	100%
1987	33	33	100%
1988	38	35	92%
1989	52	46	88%
1990	45	44	98%
1991	73	68	93%
1992	108	91	84%
1993	153	108	71%
1994	117	77	66%
1995	133	80	60%
1996	95	35	37%
1997	74	23	31%
1998	58	21	36%
1999	64	16	25%
2000	74	20	27%
2001	68	#	#
2002	36	#	#
Total	1264	759	60%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

## New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Mercer County Residents

154 26

127

85 36

66 28

-----

22

1.	Age *	Cases	%	2.	Race/Ethnicity	Adult/A		Pediat Cases	ric* %	Tota Cases	
	Under 5	#	#		White, Not Hispanic	109	19	6	40	11	 5 19
	5-12	#	#		Black, Not Hispanic	415	71	7	47	42	2 70
	13-19	14	2		Hispanic	#	#	#	#	5	4 9
	20-29	149	25		Other/Unknown	#	#	#	#		9 2
	30-39	217	36								
	40-49	136	23		Total	585	100	15	100	60	0 100
	Over 49	69	12								
	Unknown	0	0								
	Total	600	100								
3.	Patient Gro	oup			Adu	lt/Adole:	scent	Transmissi	on Modes '	t *	
					Males	%	Fe	males %	То	otal	%
				-							-
	Men sex wit				102	29		0 0		102 1	•
	Injection d	lrug user	(IDU)	)	104	30		85 36		189 3	2
	MSM/IDU				13	4		0 0		13	2
	Hotomogornia	1 200+00	+		4.2	1.0		0E 26		107 0	2

42 12

88 25

-----

Total	349	100	236 100	585	100
		Pediatri	c Transmission Mode	s	
	Males	8	Females %	Total	%
Parent at risk/has AIDS/HIV	5	71	5 63	10	67
Risk not reported/other***	#	#	# #	5	33
Total	7	100	8 100	15	100

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Heterosexual contact Risk not reported/other\*\*\*

- Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- \*\* O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

## New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Mercer County Residents

1.	Current HI	V/AIDS Ca	itegory		Adult/Ado	olescent *		Ped Case	liatr es	ic *		Cas	Total ses	L %	
		I nly			641 600 585	35 33 32			23 0 .5	61 0 39		6	64 00 00	 36 32 32	
	Total				1826	100			88	100			64	100	
2.	Age *	Cases	%	3.	Race/Eth		С	dult/ <i>I</i> ases	%	Ca	ediat ses	%		To Cases	otal %
	Under 5 5-12 13-19 20-29	35 # 26 350	2 # 1 19		White, No	ot Hispanic ot Hispanic known	:	406 1234 #	22 68 # #		8 27 # #	21 71 #		414 1261 171 18	22 68 9 1
	30-39 40-49 Over 49 Unknown	736 494 219 #	27 12 #		Total	_	_	1826			38	100		1864	100
	Total	1864	100												
4.	Patient Gro	oup				Males	8			Trans emales		on Mod	les ** Total	L %	
	Men sex wit Injection of MSM/IDU Heterosexua Risk not re	th men (M drug user al contac eported/c	ISM) : (IDU) :t other***			382 459 70 114 221	31 37 6 9			0 247 0 184 149	0 43 0 32 26		382 706 70 298	2 21 39 0 4 3 16 0 20	
	Total					1246	100		-	580	100		1826		
						Males	%		F	ransmi emales	%	. Modes	Total		
	Parent at Risk not re		AIDS/HI			17 #	 89 #			16 #	84		33 5	87 5 13	
	Total					19	100		-	 19	100		38		

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Mercer County Residents

5.  $\mbox{HIV/AIDS}$  Cases by Year of First  $\mbox{HIV/AIDS}$  Diagnosis.

Year of First HIV/AIDS Diagnos	is Cases	Number Known Dead	Case-Fatality Rate
Before 1985	17	14	82%
1985	17	17	100%
1986	27	24	89%
1987	46	43	93%
1988	48	41	85%
1989	80	66	83%
1990	94	74	79%
1991	111	74	67%
1992	232	131	56%
1993	185	88	48%
1994	187	85	45%
1995	176	60	34%
1996	139	37	27%
1997	102	18	18%
1998	95	24	25%
1999	96	18	19%
2000	98	12	12%
2001	68	6	9%
2002	45	#	#
Unknown	#	#	#
Total	1864	835	45%

NOTE: Includes only those persons known to be infected with HIV.

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.